



PATIENT INFORMATION:

Types of COVID-19 Treatments and Therapeutics

All COVID-19 treatments and therapeutics are authorized by the FDA.

If you are at high risk of becoming seriously ill from COVID-19, talk to your healthcare provider to see if these treatments and therapeutics are right for you. There is no cost to the patient for any of these treatments or therapeutics, although the provider might collect insurance information.

Updated information for Pima County is at: www.pima.gov/covid19treatment

| TYPE OF THERAPEUTIC | WHEN TO USE THEM? | WHO ARE THEY RECOMMENDED FOR? | HOW/WHERE TO GET THEM? |
|---|--|---|---|
|  Long-Acting Antibodies (laAbs) for prevention The Evusheld injection is the only non-vaccine with emergency use authorization from the FDA to prevent infection from COVID-19 before you're exposed to the virus. It provides protection against COVID-19 for up to six months. | <ul style="list-style-type: none">BEFORE being infected with COVID-19.If you are high risk due to being immune-compromised or unable to get the vaccine due to severe adverse reactions. | <ul style="list-style-type: none">People 12 or olderWeigh at least 40 kg (88 pounds)Has not been exposed to an individual with COVID-19Moderate- to severely-compromised immune systemHistory of severe adverse reactions to a COVID-19 vaccine and/or component(s) of those vaccines | Check with your healthcare provider for a referral/prescription, or check at: pima.gov/covid19treatment for potential direct screening options at certain healthcare facilities. |
|  Oral Therapeutics (Pills) Pills may help your body fight COVID-19 by stopping the virus that causes COVID-19. | <ul style="list-style-type: none">TESTED POSITIVE for COVID-19.WITHIN FIVE DAYS of the start of symptoms (the earlier after testing positive, the better). | <ul style="list-style-type: none">People 12 or older*Weigh at least 40 kg (88 pounds)Have a high risk of severe COVID-19 disease progressionAre not in the hospital but have mild to moderate symptoms for five days or less | <i>Parents of pediatric patients who are younger than 12 and at high risk should speak with their pediatrician as their children may be eligible to receive certain types of therapeutics.</i> |
|  Monoclonal Antibodies (mAbs) for treatment Antibodies developed in a lab that block the virus from entering your cells and reduce the severity of disease and the risk of hospitalization. | <ul style="list-style-type: none">TESTED POSITIVE for COVID-19.WITHIN 10 DAYS of the start of symptoms (ideally within five days). | <ul style="list-style-type: none">People 12 or olderAre at high risk of becoming seriously ill | |

Information current as of March 9, 2022



INFORMACIÓN DEL PACIENTE:

Tipos de tratamiento y Terapéutica de COVID-19

Todos los tratamientos y terapéuticas de COVID-19 están aprobados por la FDA.

Si está en alto riesgo de enfermarse de gravedad a causa del COVID-19, hable con su doctor para ver si estos tratamientos y terapéuticas son apropiados para usted. No hay ningún costo al paciente por alguno de estos tratamientos o terapéuticas, aunque el proveedor puede pedir información de seguro médico.

Información actualizada para el Condado Pima se encuentra en:

www.pima.gov/covid19treatment

| TIPO DE TERAPÉUTICA | CUANDO USARLAS | ¿PARA QUIÉN SON RECOMENDADAS? | ¿CÓMO/DONDE OBTENERLAS? |
|---|---|---|---|
|  Anticuerpos de Acción prolongada (laAbs) para prevención La inyección Evusheld es lo único con autorización de uso en emergencias por la FDA para prevenir el COVID-19 antes de ser expuesto al virus. Provee protección contra el COVID-19 por hasta seis meses. | <ul style="list-style-type: none">ANTES de tener COVID-19.Si tiene alto riesgo debido a ser inmunodeprimido o si no se puede vacunar por reacciones adversas a la vacuna. | <ul style="list-style-type: none">Personas de 12 años en adelantePesan al menos 40 kg (88 libras)No ha sido expuesto a una persona con COVID-19Sistema inmune de moderada a severamente comprometidoHistorial de reacciones adversas severas a una vacuna contra el COVID-19 y/o componente(s) de esas vacunas | Pida a su doctor una referencia/receta, o revise en: pima.gov/covid19treatment para posibles opciones de revisión en ciertas instalaciones de salud. |
|  Terapéuticas orales (Pastillas) Pastillas pueden ayudar a su cuerpo a luchar contra el COVID-19 al parar el virus que causa el COVID-19. | <ul style="list-style-type: none">DIERON POSITIVO a COVID-19.DENTRO DE CINCO DÍAS del comienzo de síntomas (lo más temprano después de dar positivo, lo mejor). | <ul style="list-style-type: none">Personas de 12 años en adelante*Pesan al menos 40 kg (88 libras)Alto riesgo de que el COVID-19 sea graveNo están hospitalizados, pero tienen síntomas leves a moderados por cinco días <p>*Hable con su doctor sobre cual antiviral oral es apropiado para usted, elegibilidad puede variar.</p> | <i>Padres de pacientes pediátricos menores de 12 y en alto riesgo deben de hablar con su pediatra ya que su hijo puede ser elegible para recibir ciertos tipos de terapéuticas.</i> |
|  Anticuerpos Monoclonales (mAbs) para tratamiento Anticuerpos desarrollados en un laboratorio que bloquean el virus al entrar a tus células y reducir la gravedad de la enfermedad y el riesgo de hospitalización. | <ul style="list-style-type: none">DIERON POSITIVO a COVID-19.DENTRO DE 10 DÍAS del comienzo de síntomas (idealmente dentro de cinco días). | <ul style="list-style-type: none">Personas de 12 años en adelanteTienen alto riesgo de enfermarse de gravedad | |

Información actual a partir del 9 de marzo, 2022